

# S20 FRESH BREW





# **S20**

### FRESH BREW

DESIGN & INTERFACE FRESH BREW CONNECTIVITY TARGET



# DESIGN & INTERFACE



RECOMMENDED CUPS PER DAY: UP TO 200



NEW INTUITIVE USER INTERFACE



MAIN SPOUT PRE-HEATED METAL COFFEE GROUP



4 DIFFERENT CUPS SIZE



2 GRINDERS, UP TO 2 DIFFERENT COFFEE BLENDS



DOUBLE TAMPING



HOT&ICED FRESH BREW







### **NEW USER**

# INTERFACE

- 7" CAPACITIVE TOUCH SCREEN DISPLAY
- TEMPERATE GLASS
- WHITE RGB LIGHT ON THE DISPENSING AREA
- INTUITIVE AND USER FRIENDLY GRAPHIC INTERFACE
- CUSTOMISED SCREEN SAVER AND POP-UP (IMAGES AND VIDEO)
- CUSTOMISABLE DRINK ICONS, NAMING AND BACKGROUND
- CUSTOMIZABLE RGB LIGHT



# FRESH

### BREW

- Linnel

#### HIGH QUALITY BEAN-TO-CUP SOLUTION. ALWAYS FRESH.

520

LACIMBALI

The brand new **S20 Fresh Brew** enters in the Fully Automatic range of LaCimbali coffee machines.

This new Bean-to-cup machines offers high quality coffee beverages, both hot and iced and always fresh. Thanks to its two integrated grinders the coffee beans are freshly grounded on demand to mantain the quality of every blend.

Then, thanks to its pre-setted recipes you will enjoy a wide range of coffee drinks with different sizes and flavors: 12oz, 16oz, 20oz and 24oz.

High quality, no filters!





H

### **COFFEE GROUP**

Pre-heated metal 50 mm brewing chamber with microfilter (up to 30 g) to maintain the perfect temperature from the 1st cup.

Designed for high quality performance (heavy duty) to ensure continuity of work at peak times, also for XXL cups and carafes.



For drinks of 20 and 24 oz, the software can automatically activate the double tamp function, as a professional well skilled operator would do.

You can compact the grounds enough to create the perfect brewing condition, extract the best flavour of coffee and put bigger quantities of coffee in the brew chamber (beyond 20 gr).

₩ 攀


### HOT & ICED Fresh brew

Freshly brewed coffee at the tap of a button to enjoy all the aromas of freshly ground coffee.

S20 FB allows you to select up to 2 different temperatures to enjoy FRESH BREW in the way you prefer.







#### WI-FI MODULE EMBEDDED

#### S20 FRESH BREW can be connected to the Internet with a simple touch.

In fact, the Wi-Fi module is integrated into the machine, so you just need a network connection and you are done (like for smartphones and tablets). The machine communicates a variety of information ranging from the precise consumption and the cleaning history to the errors that occurred. The communication is two-way. Therefore, still via Wi-Fi, you can remotely update the technical documentation saved on it and adjust the parameters of the programmed selections.

#### **BI-DIRECTIONAL TELEMETRY**

**S20 FRESH BREW** can be remotely monitored and managed constantly, thanks to BI-DIRECTIONAL TELEMETRY, the machine provides a real-time snapshot of all its performance or malfunctions.

- CONSUMPTION MONITORING
- CONTROL OF DISPENSING PARAMETERS
- WASH CONTROL AND ONGOING ANALYSIS
- ANALYSIS AND PREVENTION OF MALFUNCTIONS
- EFFECTIVE AND EFFICIENT PLANNING OF MAINTENANCE OPERATIONS

#### **USB PORT FOR UP - AND DOWNLOADING**

**The machine is equipped with a USB port.** This allows you to update the software, technical documentation, interface images and videos simply by using a USB stick.

It is also possible, once all the desired selections have been programmed, to copy these settings onto a memory stick and transfer them to another **S20 FRESH BREW: fast and easy!** 

#### **READY FOR CUP4YOU APPLICATION**

- Download the App Cup4You from the App Store or Google Play.
- Pair your smartphone or tablet with the coffee machine via QR Code.
- Select and customise your drink.
- Get your personalised drink and enjoy your creation!




# TARGET






OFFICES

#### CO-WORKING SPACE



CONVENIENCE STORES

### PETROL STATIONS





Gruppo Cimbali S.p.A. Via Manzoni, 17 - 20082 Binasco (MI) - Italy Tel. +39 02 90 04 91



() T CIMBALI.COM/BEAUTIFULLY-AUTOMATED | CIMBALI\_OFFICIAL | CIMBALI\_OFFICIAL